TITLE: RESIDENTIAL PASSIVE SOLAR SYSTEMS: REGIONAL SENSITIVITY TO SYSTEM PERFORMANCE COSTS, AND ALTERNATIVE PRICES

AUTHOR(S): C. Kirschner, S. Ben-David, F. Roach

SUBMITTED TO: 2nd Miami International Conference on Alternative Energy Sources, Miami Beach, FL, December 10-13, 1979

MASTER

ISCLAIMER ----

DISCLAMMEN

To spin it who a majority and an arrow and allowers assessment to be used on the United States Government, by the control of the United States Government and any agency themself and any astemptically assessment to the control of the c

By acceptance of this article, the publisher recognizes that the U.S. Government retains a nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or to allow others to do so, for U.S. Government purposes.

The Los Alamos Scientific Laboratory requests that the publisher identify this article as work performed under the auspices of the U.S. Department of Energy.

LOS ALAMOS SCIENTIFIC LABORATORY

Post Office Box 1663 Los Alamos, New Mexico 87545
An Affirmative Action/Equal Opportunity Employ.

DISTRIBUTION OF THE DOCUMENT IS UNLIMITED

DEPARTMENT OF ENERGY CONTRACT W-7408-ENG. 36

Form No. 836 R3 St. No. 2629 12/76

University of California

RESIDENTIAL PASSIVE SOLAR SYSTEMS:
REGIONAL SENSITIVITY TO SYSTEM PERFORMANCE
COSTS, AND ALTERNATIVE PRICES

C. Kirschner and S. Ben-David University of New Mexico, Albuquerque, New Mexico U.S.A.

F. Roach Los Alamos Scientific Laboratory Los Alamos, New Mexico U.S.A.

ABSTRACT

The economic potential of two passive space heating configurations are analyzed. These are a masonry thermal storage wall (Trombe) and a direct gain system—both with night insulation. A standard tract home design for each of the two passive systems is being used throughout the analysis to allow interregional comparisons. The economic performance of these two systems is evaluated on a regional basis (223 locations) throughout the United States. For each of the two conventional energy types considered (electricity and natural gas), sensitivity analysis is conducted to determine the impact of alternative fuel price escalation rates and solar costs upon feasibility of the two solar systems.

Cost goals for solar system prices are established under one set of future fuel prices and stated economic conditions. These cost goals define maximum allowable solar add-on expenditures for each location against likely conventional space heating fuels and their associated prices. Cost goals are determined for three alternative periods of ownership; 7, 15, and 30 years.

Alternatively, we examine future fuel price requirements (given solar feasibility) under stated add-on cost expenditures. Future fuel price requirements are defined as those energy costs which must be realized for the allowable, add-on solar costs to be achieved under competitive conditions. The escalation rates needed to bring present energy costs to the established minimum levels are location specific. As for cost goals, these escalation rates are defined for the three alternative periods of home ownership.

2. INTRODUCTION

Solar energy use in residential heating applications has been the focus of much discussion over the last several years. Divergent views [1] and conflicting results [2,3] from various economic "models" have left the issue of the near-term future of solar energy unresolved at best. (There has, however, been little disagreement as to its (solar) desirability.) Much of this confusion cannot be eliminated, for the future itself is uncertain. However, many of the questions and concerns of potential solar consumers can be addressed in a fairly straightforward and systematic manner. The overall issue of economic competitiveness or feasibility is the subject of this paper.

There are four basic types of information used in any assessment of solar energy economics. The first, physical performance, estimates the fraction of space heating demand provided by the solar system/design. A second information

need is price, both current and future, of the conventional fuel being displaced. The third is information on construction costs and the fourth is information on the financial climate facing consumers. These four types of information are integrated in some form of life cycle costing and/or cash flow analysis to estimate, or project, the future of solar for residential home owners.

Our approach to evaluating the economics of solar allows one to establish goals or targets for each of the categories of information defined above. An example should assist in understanding this procedure. Let's presume that solar performance, conventional fuel prices, and the financial climate (e.g., mortgage rate and length of loan) are known or can be specified. The unknown variable is the cost of constructing this design (if passive) or system (if active) on an individual home. By establishing cost targets it is no longer required that we know precisely the add-on costs of the solar system. Rather, it would be sufficient to know (or establish) that the quoted add-on cost falls somewhat below the needed cost target or goal to ensure that the solar investment is feasible By futher restricting the investment criteria by establishing bounds on payback periods, additional mortgage payment limits, or minimum levels of fuel (and thus dollar) savings, the cost target/goal can be recomputed and the boundaries on solar investment can be narrowed. If the dollar estimates of solar costs are substantially below these "breakeven" targets, then it may be said that there is little uncertainty or risk involved in undertaking that solar investment.

It is possible to carry this example further by examining the situation where one of the four types of information is "less known" than the remaining three sets. By establishing two sets of targets--maximum solar add-on cost and minimum annual fuel escalation rates to just "breakeven" in the life cycle costing sense--it is hoped that the concern for precision over these values can be reduced in some cases (where today's figures are significantly different than the established targets) and focused on others (where today's figures are fairly close to established targets). Further, by examining these cost and escalation rate targets under varying assumptions about home ownership time periods--and thus capturing one of the primary concerns of solar residential investors--the potential sensitivity to present day solar costs and projected conventional fuel escalation rates can be easily assessed. Thus we can evaluate the sensitivity of specific parameters without resorting to elaborate mathematical expressions and/or a large number of computer simulation runs. By comparing these targets/goals with present values (e.g., fuel escalation rates as projected by DOF or others and actual construction cost estimates from builders) a good assessment can be made as to how close to economic competitiveness solar may or may not be. Through examination of these established targets and their movement as "known" economic and physical conditions change it will be possible to judge how realistic consumers' (or government's) expectations on solar feasibility may be.

In the following sections we evaluate some of the economic conditions necessary for passive solar energy to compete in the new home residential market. It is important to note that the target cost methodology and computational procedures used are as important as the actual results. Two solar designs are evaluated and then contrasted against the two major fuels responsible for meeting the bulk of today's space heating needs in new residential construction: natural gas and electricity. The methodology, computational procedure, and target criteria are carefully outlined in Section 3. Results for 48 locations, one in each of the 48 continental states, are discussed in Section 4. Maps are used to illustrate geographical patterns of regional similiarities and differences for selected cost goals and fuel escalation rate targets for the 48 states. Table 3 contains more detailed results for the larger set of geographical loca-

tions (223) for which these analyses have been performed. In Section 5 results are briefly summarized with major conclusions highlighted.

3. ME HODOLOGY

Solar performance calculations are key to any solar economic analysis. The feasibility of a given set of criteria, is, in part, defined by the solar displacement of conventional fucl. The solar fraction represents the measure of this displacement and is used to translate solar performance into economic terms. The solar performance data has been developed from the modified load to collector area ratio (LCR) correlation procedures developed by Los Alamos Scientific Laboratory (LASL) [4]. The estimates are based on specific design parameters. The Trombe wall design assumes 18 inches of mass (1.5 cubic feet of mass per foot squared of aperture). The LCR's for the Trombe wall design have been shown to be nearly identical for all variations of thickness from 12 inches to 18 inches in most locations in the United States. The direct gain design used here incorporates all of the required collector area into south facing windows (no clerestory windows) and assumes 1.5 cubic feet of mass per foot squared of south facing glass. The night insulation for both systems has an assumed R-value of 9. The LCR's are used in conjunction with estimated home heating loads to calculate a collector area requirement for each solar fraction.

The LCR estimates represent the heating load to collector area ratio where heating load is defined as the load other than that on the south collector area of the home. If the opaque south wall is neutral in terms of heat loss/heat gain the collector area is calculated as follows:

$$CA = \frac{LOSW}{LCR}$$

where:

LOSW = load other than that on the south collector area

= HLF * RESSF - AMAX * UB * 24

and where:

HLF = heat loss factor of a conventional base case home including losses through the south wall (location and design specific)

(BTU/DD = ft² res.)

RESSF = ft^2 residence

AMAX = area of south wall exposure (ft^2)

UB = maximum allowable U-factor through walls (BTU/hr - F^0 - ft^2)

24 = unit correction factor

If the opaque south wall is <u>not</u> neutral in terms of heat gain/heat loss the collector area is calculated as:

which collapses to:

$$CA = \frac{LOSW + (AMAX * UB * 24)}{LCR + (UB * 24)}$$

The heat loss factors used in the building load calculation, HLF, have been developed on a location by location basis. The heat loss of any building is calculated as the sum of the conductive (transmission losses through the enitre building envelope) and the convective (infiltrative losses which occur as a result of infiltration) losses. Maximum allowable U-values are utilized to calculate the conductive losses. Conductive losses are further subdivided into three parts, each corresponding to a portion of the residential building. These are 1)the exterior building envelope 2)floor and 3)ceiling/roof. Convective losses are determined using the crack-length method. The particular residence used in this analysis is of a TEA reference design [5]. It is a one-story slab on grade home with 3 bedrooms, 2 baths and 1536 square feet of living area.

The heat loss factors are calculated such that they are a function of the home design under consideration and the climate of the location. The climate is quantified through the annual average leating degree days measure (65°F base). This parameter is specified for each of the 223 locations.

The heating load of a solar home of specific configuration must also be calculated. The product of the solar home load and the fraction pertaining to that home design gives the amount of conventional energy which is being displaced by the system under consideration. The solar home load (SHLOAD) in millions of Btu's is calculated as:

SHLOAD =
$$[LOSW + (AMAX * UVGL * 24)] * DD$$

+ $\left[\left(\frac{1-F}{F}\right) * CA * UVGL * 24 * DD\right] / 1,000,000.$

where

UVGL = U-value of non-solar south wall

DD = heating degree days

CA = collector area


F = solar savings fraction

AMAX = south wall square footage

The energy displaced by the solar system is calculated as:

This translates the performance of the system into a millions of Btu's of conventional energy measure. The application of a price per unit of energy will, in turn, translate this into a dollar savings to the consumer. Fuel prices (1979 base year) were gathered for a large number of cities. Where information was inadequate or wholly lacking a surrogate city was chosen [6]. The fuel price

1979 NATURAL GAS PRICES DOLLARS PER THOUSAND CUBIC FEET 1.00-1.75 1.76-2.50 2.51-3.25 3.26-4.00 4.01+



data base includes 1979 prices for natural gas and electric resistance. Natural gas and electricity prices are displayed on a state-by-state basis on Maps 1 and 2, recorded in the unit type familiar to the consumer - \$/MCF for natural gas, and ¢/kwh for electricity. Two factors are used to convert this cost into a dollars per million Btu cost, a Btu conversion factor (BTUCF) and a furnace efficiency factor (BTUFE). These are shown below:

	BTUCF	BTUFE
Gas	1.0 MWBtu/MCF	.75
Electricity	.003413 MMBTU/KWH	1.0

The 1979 price per million Btu's is calculated as follows:

$$BYFP = UP/(BTUCF * BTUFE)$$

where:

UP = unit fuel price

The 1979 dollars per million Btu fuel price is converted into an annualized cost much in the same way that a new home price is converted into equal mortgage payments. The annualized fuel price is calculated as follows:

$$\begin{bmatrix} T & CYFP_t * \left(\frac{1}{1+DR+AIR}\right)^t \end{bmatrix} *CRF$$

where:

CYFP = current year fuel price in the tth year

= BYFP * (1. + AIR + FESCR)t

DR = discount rate

AIR = annua: inflation rate CRF = capital recovery factor

FESCR = annual fuel escalation rate

BYFP * base year fuel price

T = length of ownership period

The last type of information needed is solar add-on cost. The cost estimates are given as a dollar per square foot of collector area cost. It is assumed that these passive designs have no fixed costs. These costs aren't needed for the cost goal calculation since a maximum value for this parameter is what is being calculated. For the target escalation rate calculation the variable cost estimates shown in Table I were used.

The maximum cost goal calculation is based on the idea that a system can be defined as feasible when the add-on cost is just equal to the cost of supplying the displaced conventional fuel over the ownership of the system. The annualized fuel cost is used in conjunction with the amount of conventional fuel displaced to calculate this cost. The application of a fixed charge rate assures that the result is in current dollar terms. The total cost figure is divided by the collector area to yield a dollars per square foot of collector area figure. The maximum allowable variable cost for the jth system, kth solar fraction, assuming the ith auxiliary fuel is calculated as follows:

$VCG(J,I,K) + \frac{AFP(I) * CFDISP(J,I,K)}{CA(J,I,K) * FCR}$

where:

VCG = variable cost goal
AFP = annualized fuel price

CFDISP = conventional fuel displaced

FCR = fixed charge rate

TABLE I

DETAILED COST BREAKDOWN: TWO PASSIVE SOLAR DESIGNS*
(\$/sq. ft. collector area)

Trombe Wall	Cost**	Direct Gain	Cost**
Masonry Concrete - 18" Paint - 2 Sides Double Glazing 2-3/16" Footing 16" Foundation Header Trim (Overhang) Framing 4'X8' - 24 ft	\$ 6.53 .44 3.54 1.16 1.36 2.86	Concrete Block - 8" Concrete Slab - 2" Additional Double Glazing 2-3/16" Header Trim (Overhang) Framing 4'X8' - 24ft Night Insulation	\$ 3.22 1.54 3.54 1.36 2.86 4.35
Night Insulation System Subtotal Exterior Wall Credit	4.35 \$20.24 2.27	System Subtotal Interior Wall Credit Exterior Wall Credit	\$16.87 1.10 2.27
Total System	\$17.97	Total System	\$13.50

^{*}Dollar cost are for national average.

The minimum allowable fuel escalation rate is defined as the annual fuel escalation rate which will guarantee that the value of the conventional fuel being displaced will, over the ownership period in question, be equal to the specified solar add-on cost. The determination of this required escalation rate is made in a computerized iterative procedure since no analytical solution exists. The 'starting point' escalation rates are noted in Table II. This real escalation rate is added to the annual inflation rate (resulting in a nominal rate) and this figure is used to calculate the annualized fuel cost over the ownership period as previously described. A variable solar add-on cost is then calculated (in the previously described manner) using this annualized fuel price. The calculated cost is then compared with the specified cost. If the two costs deviate to any great degree the escalation rate is increased (decreased) as necessary and the procedure gone through again. This continues until the calculated cost matches the estimated cost. The escalation rate producing this result is, by definition, the minimum nominal rate required to guarantee feasibility over the specified ownership period.

Three ownership periods were examined; 7, 15, and 30 years. The 7 year period closely approximates the average home ownership period in the United States. The 30 year period corresponds to the average length of a home mortgage. The use of multiple ownership periods shows the sensitivity of feasibility results to consumer payback preferences. If a homeowner requires that the system pay for itself on a life cycle cost basis during his occupancy of the home

[&]quot;Includes both materials and labor.

(i.e., 7 years) rather than over the mortgag life of the home, (i.e., 30 years) he will be faced with a much lower solar add-on cost requirement. This can also easily be translated into a requirement for very high conventional fuel prices (escalation rates).

4. RESULTS

Selected mapped results are shown throughout this section of the paper. The map results are given on a state-by-state basis; one city was chosen to represent the state as a whole. Tabular results are presented in Table III for all 223 locations. The tables include results for the two passive solar designs, two alternative fuel types and three ownership periods; the mapped results are selected from the full tabular results.


Footnotes following Table III explain the meaning of all of the abbreviations used. The results for the three ownership periods are divided into two fuel types within each period. The first line of the table contains the state and city name. Cities chosen to represent the state as a whole are marked with an asterick. The two numbers at the end of the first line show the base year prices for gas and electricity (units: \$/MCF, ¢/KWH respectively). The next four lines can be subdivided into two sets of two lines each -- one set for the Trombe wall system (TWNI), one for the direct gain system (DGNI), both systems are for 50% solar contribution. The CG row shows cost goal results for both fuels and all three ownership period. The ER row shows necessary escalation rates for the same configuration. The cost goal results are in \$/sq. ft. of collector area terms. The escalation rate results are in nominal percentage annual increase.

Maximum a⁷⁷ hle solar costs for a 50% solar contribution are shown in Maps 3 and 4. displays results assuming natural gas as the alternative ruel, Map 4 assumes electricity as the alternative fuel. Natural gas is an extremely cheap alternative fuel at the present time. Using 11% as a nominal annual escalation rate and the longest ownership period, the maximum allowable add-on cost is below \$13.50 per square foot of collector area in all states. The cost goal is highest in the extreme northeastern and northwestern portions of the country; these areas also have the highest natural gas prices. Even in these areas the cost goal falls short of the estimated variable cost for the direct gain system (\$13.50). Map 4 shows the same results against electric resistance. In general the cost goals are much higher, reflecting the higher cost of electricity. The pattern is basically the same; areas of extremely high alternative fuel costs or moderately high fuel costs coupled with very high heating loads are those areas which tolerate the highest solar add-on costs. New York and New Maxico are examples of the first case while South Dakota is an example of the second.

The tabular results show the same pattern. The cost goal figure is modified by the hypothezied ownership period which is directly related to the allowable add-on cost. As the period within which feasibility is defined is shortened, the maximum allowable add-on cost decreases. The results for the 7 year ownership period show very low solar costs would be necessary to result in a competitive situation.

The target escalation rate results are shown for 50% solar contribution by a direct gain passive solar design (R-9 night insulation) assuming a variable cost of \$13.50. Maps 5 through 8 show results for two alternative fuels -- gas and electricity -- and two ownership periods -- 7 and 30 years. The maps show ranges of percent annual nominal escalation rates necessary to achieve competitiveness given the cost of the system. Maps 5 and 6 display necessary rates

MAXIMUM ALLOWABLE SOLAR COST DIRECT GAIN WITH NIGHT INSULATION ALTERNATIVE FUEL--NATURAL GAS



DOLLARS PER SQUARE FOOT OF COLLECTOR












0.-3.00 3.01-4.50 4.51-6.00

6.01 - 8.30

7.51+










DOLLARS PER SQUARE FOOT OF COLLECTOR












0.-10.00

10.01-13.50 13.51-17.00 17.01-21.50


21.51+



MINIMUM ALLOWABLE ESCALATION RATES DIRECT GAIN WITH NIGHT INSULATION ALTERNATIVE FUEL--NATURAL GAS



PERCENT ANNUAL MOMINAL RATE OF INCREASE







<62

62-64


65-70

71-75

76+




MINIMUM ALLOWABLE ESCALATION RATES DIRECT GAIN WITH NIGHT INSULATION ALTERNATIVE FUEL—ELECTRICITY



PERCENT ANNUAL NOMINAL RATE OF INCREASE









<26

26-31

32-37

38-41

42+



given a 7 year ownership period. It can be seen that the cheaper base year fuel requires very high annual escalation rates while the more expensive fuel, electricity, requires less dramatic rates. Both fuels require rates which are extremely high as a result of the shortened ownership period. A state-by-state comparison of these results leads to the general conclusion that locations with the highest initial fuel costs are those which require the lowest escalation rates.

This pattern of results is, in general, repeated in Maps 7 and 8. The increased period of ownership (30 years) results in a dramatic lowering of the necessary escalation rates. The state-by-state pattern is preserved. The necessary rates for natural gas are somewhat in excess of those hypothesized by most while, in those locations with the highest base year electricity prices, a deflation of the real cost of the fuel over time would result in system feasibility. The necessary rates in locations such as Reno and Albuquerque are less than the 7% annual inflation rate incorporated into the basic model assumptions; this implies a real decrease in the price of electricity.

5. CONCLUSIONS


The target cost methodology is useful in assessing the sensitivity of the competitiveness of passive solar designs to the solar add-on cost and fuel cost parameters. This technique allows for the estimation of parameter values when the establishment of these values can only be made with some uncertainty. The analysis presented here leads to the following conclusions.

- Natural gas prices are, with some exceptions, so low that neither of the passive designs analyzed here can favorably compete.
- Escalation rates necessary to define competitiveness under a natural gas alternative are in general, very high given a 30 year ownership period and increase dramatically with a decrease in ownership period.
- Base year prices for electric resistance are sufficiently high in several southwestern and northeastern locations to suggest that both the direct gain and Trombe wall systems can compete today under longer ownership periods.
- While necessary escalation rates are rather high under a 7 year ownership period, de-escalation could be experienced in several locations for the 30 year ownership period.
- The Trombe wall and direct gain systems perform in very similar manners in nearly all locations.


6. REFERENCES

- [1] Georgescu Roegen, N., "Energy Analysis and Economic Valuation", Southern Economic Journal, Vol. 45, April 1979.
- [2] Buchanan, D.L., "A Review of the Economics of Selected Passive and Hybrid Systems", Proceedings of the 3rd National Passive Solar Conference, San Jose. California. (Jan. 11-13, 1979).
- [3] "Review and Listing of previous work contained in 'Residential Passive Solar Energy Applications; An Economic Analysis'", compiled by Noll and Roach LASL Completion Report 1978/79, unpublished.
- [4] Balcomb, J.D.; McFarland, R.D.; "A Simple Technique of Estimating the Performance of Passive Solar Heating Systems", proceedings of the 1978


MINIMUM ALLOWABLE ESCALATION RATES DIRECT GAIN WITH NIGHT INSULATION ALTERNATIVE FUEL—NATURAL GAS



PERCENT ANNUAL NOMINAL RATE OF INCREASE



MINIMUM ALLOWABLE ESCALATION RATES DIRECT GAIN WITH NIGHT INSULATIC: ALTERNATIVE FUEL--ELECTRICITY





9

11

12+

- Ano Annual Meeting of AS/ISES, Denver, Colorado, (Aug. 23-31, 1978).
- [5] Total Environmental Action; "Determination of Passive System Cost and Cost Goals", unpublished designs and preliminary cost estimates by work performed under DOE contract, (April, May 1979).
- [6] Roach, Fred, et. al., "Conventional Fuel Prices and Futures; Data Input for the LASL/UNM EASE II Model", LAMS Report Los Alamos Scientific Laboratory, (Dec. 1979).

7. ACKNOWLEDGEMENTS

This work has been supported by the U. S. Department of Energy, Office of the Assistant Administration for Conservation and Solar Applications. We wish to thank Katie Greiner for cartographic assistance.

TABLE II FINANCIAL PARAMETERS

	Gas Elec.	7% 4% 2%			
Interest Rate (Real) Discount Rate (Real)		3.5% 3.5%			
			Owne 7	ership 15	Period 30
Capital Recovery Factors: Fixed Charge Rates:			.18	.11	.08 .05

TABLE III. COST GOALS AND TARGET FUEL ESCALATION RATES

(units: \$/ft² collector area; annual nominal percent increase)

•		GAS	7 YR ELEC	DWNERSH L GAS	IP PERI 5 YR ELEC	OD GA S	O YR El EC			GAS	7 YR FLEC	OWNERSH GAS	IP PERIO 5 YR ELEC		YR ELEC
* CT	HART FORD TWNI CG ER DGNI CG ER	2.13 0.69 2.04 0.67	5.68 0.39 5.44 0.37	4.31 0.28 4.13 0.27	10.68 0.16 10.23 0.15	3.72 6.96 0.17 6.66 0.16	4.89 14.93 0.10 14.30 0.09	ИА	ALBANY TWNI CG ER DGNI CG ER	1.95 0.71 1.77 0.71	5.07 0.42 4.61 0.42	3.95 0.29 3.60 0.29	9.53 0.17 8.67 0.17	0.17	4.20 13.33 0.11 12.13 0.11
ME	BANGOR TWN1 CG ER DGN1 CG ER	3.07, 0.58, 2.93, 0.56	7.07 0.33 6.76 0.32	6.23 0.24 5.95 0.23	13.29 0.13 12.71 0.12	4.12 10.04 0.15 9.60 0.14	4.67 18.59 0.09 17.77 0.08	NY	BINGHAMTON THNI CG ER DGNI CG ER	1.37 0.82 1.23 0.82	5.31 0.41 4.77 0.41	2.78 0.33 2.49 0.33	9.99 0.16 8.96 0.16	0.19	4.01 13.96 0.11 12.52 0.10
ME	CARIBOU TWNI CG ER DGNI CG ER	3.11 0.58 2.81 0.58	9.00 0.27 8.12 0.27	6.32 0.24 5.70 0.23	16.92 0.10 15.26 0.10	4.12 10.19 0.14 9.19 0.14	5.86 23.66 0.08 21.34 0.07	NY	BUFFALD TWAT CG ER DGNI CG ER	1.17 0.87 1.05 0.87	4.64 0.45 4.18 0.45	2.37 0.35 2.14 0.34	8.72 0.18 7.86 0.18	0.20	4.20 12.20 0.12 11.00 0.11
* ME	PORTLAND TWHI CG ER DGNI CG ER	2.78 0.61 2.54 0.60	6.12 0.37 5.60 0.37	5.64 0.25 5.16 0.24	11.50 0.15 10.52 0.14	4.12 9.10 0.15 8.32 0.15	4.46 16.09 0.10 14.70 0.09	NY	MASSENA TWNE CG ER DGNE CG ER	2.07 0.69 1.86 0.69	5.25 0.41 4.70 0.41	4.20 0.28 3.77 0.28	9.86 0.17 8.84 0.16	0.17	4.20 13.79 0.11 12.36 0.10
• MA	BOSTON TWNI CG ER DGNI CG ER	2.14 0.68 2.06 0.67	6.16 0.37 5.94 0.35	4.34 0.28 4.18 0.27	11.57 0.15 11.15 0.13	3.61 7.00 0.17 6.75 0.16	5.11 16.18 0.10 15.60 0.09	◆NY	NEW YORK TWNI CG ER DGNI CG ER	2.59 0.63 2.50 0.61	8.34 0.29 8.05 0.27	5.26 0.26 5.08 0.25	15.67 0.11 15.13 0.10	0.16	7.74 21.91 0.09 21.15 0.07
* NH	CONCORD TWNT CG ER DGNT CG ER	3.04 0.58 2.77 0.58	7.04 0.33 6.41 0.33	6.18 0.24 5.63 0.23	13.23 0.13 12.05 0.13	4.80 9.96 0.15 9.07 0.14	5.46 18.50 0.09 16.85 0.08	NY	ROCHESTER TWNI CG ER DGNI CG ER	1.69 0.75 1.53 0.75	4.84 0.43 4.36 0.43	3.44 0.30 3.10 0.30	9.09 0.18 8.20 0.17	0.18	4.51 12.71 0.11 11.46 0.11
M	LAKEHURST TWN1 CG ER DGN1 CG ER	1.59 0.77 1.59 0.74	5.77 0.39 5.77 0.36	3.24 0.31 3.24 0.30	10.85 0.15 10.85 9.14	2.73 5.22 0.18 5.22 0.17	4-86 15-16 0-10 15-16 0-09	NY	SYRACUSE THNI CG ER DGNI CG ER	1.72 0.75 1.55 0.75	4.47 0.46 4.03 0.46	3.49 0.30 3.14 0.30	8.41 0.18 7.58 0.18	0.18	4.20 11.76 0.12 10.60 0.11
+NJ	NEWARK TWN1 CG ER UGN1 CG ER	1.97 0.71 1.97 0.68	7.10 0.33 7.10 0.30	3.99 0.27 3.99 0.27	13.33 0.13 13.33 0.11	3.45 6.44 0.17 6.44 0.16	6.12 18.64 0.09 18.64 0.08	PN	ALLENTOWN TWNI CG ER DGNI CG ER	1.90 0.72 1.82 0.70	5.64 0.39 5.42 0.38	3.85 0.29 3.70 0.28	10.60 0.16 10.19 0.15	0.17	4.68 14.82 0.10 14.25 0.10

^{*} location used in Maps 1 - 8

TWNI - Trombe Wall with R-9 night insulation

DGNI - Direct gain with R-9 night insulation

CG - Cost goals or targets

ER - Target escalation rate

Table III (continued)

		7 YR	DWNERSHIP PERIC	D 30 YR			- 44	OWNERSHIP PER I	. 20 70
	GAS	ÉLEC	GAS ELEC	GAS ÉLEC		GAS	7 YR ELEC	GAS ELEC	GAS ELEC
PN	AVOCA TWN CG 1.89 ER 0.72 DGNI CG 1.81 ER 0.70	5.38 0.41 5.15 0.39	3.83 10.11 9.29 0.16 3.67 9.68 0.28 0.15	3.34 4.68 6.18 14.13 0.17 0.11 5.92 13.53 0.17 0.10	. AL	MOBILE TWNI CG 1.26 ER 0.84 DGNI CG 1.38 ER 0.78	3.77 0.50 4.15 0.45	2.55 7.39 0.34 G.20 2.80 7.79 0.31 0.18	2.78 4.11 4.11 9.92 0.20 0.13 4.52 10.90 0.18 0.11
PN .	ERIE TWNI CG 1.31 DGNI CG 1.18 ER 0.83	5.23 0.41 4.72 0.41	2.65 9.84 0.33 0.17 2.37 6.87 0.33 0.16	2.43 4.79 4.27 13.75 0.19 0.11 3.86 12.41 0.19 0.10	AL	MONTGOMERY TWN1 CG 1.67 ER 0.76 DGN1 CG 1.83 ER 0.70	4.06 0.48 4.42 0.43	3.40 7.62 0.31 0.20 3.71 8.31 0.28 0.17	3.45 4.11 5.48 10.66 0.18 0.12 5.98 11.62 0.17 0.11
PN	HARRISBURG TWN1 CG 1.76 DGNI CG 1.76 ER 0.71	5.25 0.41 5.25 0.38	3.58 9.86 0.30 0.17 3.58 9.86 0.29 0.15	3.20 4.68 5.77 13.78 0.18 0.11 5.77 13.78 0.17 0.10	AR	FORT SMITH TWNI CG 1.02 FR 0.91 OGNI CG 1.07 ER 0.86	4.00 0.49 4.20 0.44	2.07 7.51 0.36 0.20 2.17 7.88 0.34 0.18	1.87 3.61 3.33 10.51 0.21 0.13 3.50 11.02 0.19 0.11
PN	PHILADELPHIA TWHI CG 1.89 ER 0.72 DGNI CG 1.89 ER 0.69	5.01 0.43 5.01 0.40	3.83 9.41 0.29 0.17 3.83 9.41 0.28 0.16	3.31	◆AR	LITTLE ROCK TWN1 CG 0.65 FR 1.05 DGNI CG 0.68 ER 1.00	4.21 0.47 4.41 0.43	1.33 7.92 0.41 0.19 1.39 8.29 0.39 0.17	1.22 2.14 11.07 0.23 0.12 2.24 11.60 0.22 0.11
* PN	PITTSBURGH TWNI CG 1.69 ER 0.75 DGHI CG 1.55 ER 0.75	6.13 0.37 5.61 0.37	3.43 11.52 0.31 0.15 3.14 10.54 0.30 0.14	3.17 5.65 5.54 16.11 0.18 J.10 5.06 14.74 0.17 0.09	+ OL	WILMING TON TWN1 CG 1.91 ER 0.72 OGNI CG 1.91 ER 0.69	6.60 0.35 6.60 0.32	3.88 12.40 0.29 0.14 3.58 12.40 0.28 0.12	3.31 5.61 6.26 17.34 0.17 0.09 6.26 17.34 0.16 0.08
•RI	PROVIDENCE TWN1 CG 2.28 DGN1 CG 2.28 ER 0.67	6.27 0.37 6.27 0.34	4.63 11.77 0.27 0.14 4.63 11.77 0.26 0.13	3.76 5.08 7.46 16.46 0.14 0.10 7.46 16.46 0.15 0.09	DC	WASHINGTON TWN1 CG 1.97 ER 0.71 DGN1 CG 1.97 ER 0.68	4.39 0.46 4.39 0.43	3.99 P.25 0.29 0.19 3.99 8.25 0.27 0.17	3.47 3.81 6.44 11.54 0.17 0.12 6.44 11.54 0.16 0.11
•vT	BURLINGTON TWO CG 2-12 DGNI CG 1-90 ER C-69	4.85 0.43 4.35 0.43	4.31 9.12 0.28 0.17 3.86 8.18 0.28 0.17	3.61 4.06 6.95 12.76 0.17 0.11 6.23 11.43 0.16 0.11	FL	APALACHICOLA TWNI CG 1.63 ER 0.76 DGNI CG 1.47 ER 0.70	3.95 0.49 4.43 0.43	3.31 7.43 0.31 0.20 3.70 8.32 0.28 0.17	3.72 5.33 10.39 0.18 0.13 5.97 11.64 0.17 0.11
•AL	BIRMINGHAM TWNI CG 1.76 ER 0.74 DGNI CG 1.87 ER 0.69	4.25 0.47 4.53 0.42	3.56 7.99 0.30 J.19 3.79 3.51 0.28 0.17	3.45 4.11 5.75 11.18 0.18 0.12 6.12 11.90 0.16 0.11	FL ,	DAYTONA BEACH THN1 CG 1.04 ER 0.90 DGN1 CG 1.19 ER 0.83	3.45 0.53 3.94 0.46	2.12 6.49 0.36 0.21 2.42 7.41 0.33 0.18	2.38 3.87 3.42 9.08 0.20 0.13 3.90 10.36 0.19 0.12

					_							OWNERSHE	P PER IO	0	
	GAS	7 YR ELEC	DWNER SHI L5 GAS	P PERIO YR ELEC	30 GA S	YR EL EC				GAS 7	ELEC	GAS ¹⁵	YR ELEC	GA S ³⁰	EL EC
FL	JACK SONVILLE TWN1 CG 1.09 ER 0.89 OGN1 CG 1.22 FR 0.82	4.41 0.46 4.96 0.40	2.21 0.35 2.48 0.33	8.29 0.19 9.31 0.16	0.20	4.75 11.60 0.12 13.02 0.10	· GA		MACON TWN CG ER DGNI CG ER	1.30 0.83 1.41 0.78	3.60 0.51 3.92 0.46	2.64 0.33 2.57 0.31	6.77 0.21 7.37 0.16		3.64 9.47 0.13 13.30 0.12
FL	MIAMI TWNI CG 0.87 DGMI CG 0.99 ER 0.89	2.84 0.58	1.76 0.38 2.01 0.35	5.33 0.24 6.11 0.21	2.40 2.83 0.21 3.24 0.20	3.87 7.45 0.15 8.54 0.13	GA		SAVANNAH TWN1 CG ER DGN1 CG ER	1.29 0.83 1.41 0.78	4.66 0.44 5.09 0.39	2.62 0.34 2.87 6.31	0.76 0.18 9.57 0.15	2.67 4.23 0.19 4.63 0.18	4.73 12.24 0.12 13.38 0.10
*FL	ORLANDO THRICG 1.05 ER 0.90 DGMICG 1.20 ER 0.83	3.51 0.52	2.13 0.36 2.43 0.33	6.59 0.21 7.54 0.18	2.40 3.43 0.20 3.92 0.19	3.95 9.21 0.13 10.54 0.11	KY		COVINGTON TWN1 CG CGN1 CG CR ER	1.66 0.76 1.66 0.73	3.85 0.50 3.85 0.47	3.38 0.31 3.38 0.29	7.24 0.20 7.24 0.19	3.23 5.44 0.18 5.44	10.13
FL	TALLAHASSEE THMT CG 1.71 ER 0.75 DGM1 CG 1.91 ER 0.69	3.73 0.51 4.16	3.48 0.30	7.01 0.21 1.82 0.18	3.72 5.61 0.18 6.26 0.16	3.98 9.80 0.13 10.93 0.11	K	Y	LEXINGTON TWNI CG ER CGNI CG ER	1.40 0.81 1.40 0.78	4.20 0.47 4.20 0.44	2.84 0.33 2.64 0.31	7.90 0.19 7.90 0.18	2.61 4.57 0.19 4.57	3.86 11.05 0.12 11.05 0.11
FL	TAMPA THN1 CG 1.22 ER 0.85 DGN1 CG 1.32	4.44	2.47 0.34	8.34 0.19 9.53 0.15	2.86 3.98 0.20 4.55 0.18	5.13 11.66 0.12 13.32 0.10	• K/	Y	LOUISVILLE TWN1 CG ER DGN1 CG ER	1.12 0.88 1.12 0.85	3.87 0.49 3.67 0.47	2.26 0.35 2.26 0.34	7.28 0.20 7.28 0.19	2.12 3.65 0.20 3.65 0.19	10.18 9.13 10.18 0.12
FL	WEST FALM BEACH TWNI CG 0.91 ER 0.91 DGNI CG 0.98	2.80 7 0.59 3.26	1.70	5.25 0.24 6.17 0.21	2.74 0.2 3.2; 0.20	3.87 7.35 0.15 8.63 0.13	ı	Α.	BATON ROUG TWNI CG ER DGNI CG ER	0.83 0.97 0.91	2.96 0.57 3.27 0.51	1.68 0.38 1.86 0.35	5.57 0.23 6.15 0.21	1.91 2.71 0.22 2.99 0.20	3.36 7.78 0.14 8.59 0.13
◆GA	ATLANTA THNI CG 1.31 ER 0.61 DGNI CG 1.44	8 3.83 1 0.50 8 4.10	2.81 0.33 3.00	7.20 0.20 7.70 0.18	2.67 4.52 0.19 4.84 0.18	3.64 19.07 0.13 10.77 0.11	ι	Α.	LAKE CHARL TWM: CG ER DGNI CG ER	0.84 0.97 0.92 0.91	2.74 0.59 3.01 0.54	1.87	5.15 0.24 5.67 0.22	2.09 2.74 0.22 3.02 0.20	3.36 7.20 0.15 7.62 0.13
GA	AUGUSTA THNI CG 1.3 ER 0.8 DGNE CG 1.7	7 3.81 2 0.50 8 4.10	7.79 0.13 3.00	7.16 0.20 7.71 0.18	2.67 4.50 0.19 4.84 0.18	3.64 10.31 0.13 10.78 0.11	+ L	. 🗛	HEW DRLEAN TWN1 CG ER DGN1 CG ER	1.36 0.82 1.52 0.75	3.36 0.53 3.77 0.47	2.77 0.33 3.08 0.30	6.36 0.22 7.09 0.19	3.08 4.46 0.19 4.97 0.18	3.76 8.89 0.14 9.91 0.12

Table III (continued)

		ĞAS	7 YR ELEC	OWNERSHIE GAS	P PER IO YR ELEC	OD 30	YR ELEC			GAS	7 YR ELEC	DWNER SH GAS	IP PERIO 5 YR ELEC		O YR ELEC
LA	SHREVEPORT TWNT CG ER DGNT CG ER	0.66 1.05 0.72 0.99	2.73 0.59 2.97 0.54	1.34 0.41 1.46 0.39	5.13 0.24 5.57 0.22	1.36 2.17 0.23 2.35 0.21	2.80 7.17 0.15 7.79 0.13	NC	CHERRY POLITIONS CG DGNI CG ER	1.08 0.72 2.05 0.67	5.09 0.42 5.57 0.37	3.81 0.29 4.17 0.27	9.57 0.17 10.47	3.48 6.14 0.17 6.72 0.16	4.64 13.38 0.11 14.64 0.09
• MD	BALTIMORE TWNI CG ER DGHI CG ER	1.92 0.72 1.92 0.69	6.13 0.37 6.13 0.34	3.90 0.29 3.90 0.28	11.53 0.15 11.53 0.13	3.36 6.29 0.17 6.29 0.16	5.27 16.11 0.10 16.11 0.09	. NC	GREENSBORO TWN 1 CG ER DGNI CG ER	1.95 0.71 2.64 0.67	5.05 0.42 5.30 0.38	3.95 0.29 4.15 0.27	9.48 0.17 9.96 0.15	3.27 6.37 0.17 6.69 0.16	4.17 13.26 0.11 13.93 0.10
MD	PATUXENT RETUNE CG TWNE CG ER DGNE CG ER	VER .80 0.73 .91 0.69	5.76 0.39 6.09 0.34	3.66 0.30 3.87 0.28	10.82 0.15 11.44 0.13	3.36 5.91 0.18 6.24 0.16	5.27 15.12 0.10 15.99 0.09	* NC	RALEIGH THNI CG ER DGNI CG ER	1.95 0.71 2.05 0.67	5.30 0.41 5.55 0.37	3.96 0.29 4.16 0.27	9.95 0.16 10.43 0.14	3.48 6.39 0.17 6.70 0.16	4.64 13.92 0.11 14.59 0.09
• MS	JACK SON TWNE CG ER DGNE CG ER	1.12 0.86 1.23 0.82	4.09 0.48 4.47 0.43	2.28 0.35 2.49 0.33	7.68 0.20 8.39 0.17	0.20	4.17 10.74 0.12 11.74 0.11	• OK	OKLAHOMA CI THNI CG ER DGNI CG ER	1 Y 1 · 23 0 · 85 1 · 32 0 · 80	4.18 0.47 4.47 0.43	2.50 0.34 2.68 0.37	7.85 0.19 8.41 0.17	2.09 4.04 0.20 4.32 0.18	3.48 10.97 0.12 11.76
MS	MERIDIAN TWNI CG ER DGNI CG ER	1.15 0.67 1.23 0.62	4.31 0.47 4.63 0.42	2.33 0.35 2.50 0.33	8.10 0.19 8.70 6.17	0.20	4.31 11.33 0.12 12.17 0.11	OK	TULSA TWN1 CG ER DGN1 CG ER	1.17 0.67 1.23 0.82	4.71 0.44 4.95 0.40	2.37 0.35 2.49 0.33	0.16 0.16	2.09 3.02 0.20 4.02 0.19	4.15 12.38 0.11 13.02 0.10
NC	DGNI CG ER	2.18 0.68 2.29 0.63	5.92 0.36 6.22 0.34	4.43 i 0.28 4.66 i	11.12 C.15 11.69 0.13	0.17	4.64 15.55 0.10 16.35 0.09	• sc	CHARLESTON TWN1 CG ER DGN1 CG ER	1 - 18 0 - 86 1 - 27 0 - 81	4.86 0.43 5.27 0,38	2.35 0.35 2.58 0.32	9.13 0.17 9.89 0.15	2.43 3.65 0.20 4.17 0.10	4.94 12.77 0.11 13.83 0.10
NC	TUNI CG ER DGNI CG	1.85 0.73 1.99 0.68	5.01 0.42 5.49 0.38	4.04	9.42 0.17 10.15 0.15	0.17	4.64 13.17 0.11 14.19 0.10	SC	COLUMBIA TWN1 CG ER DGN1 CG ER	1.28 0.84 1.37 0.79	5.27 0.41 5.68 0.36	2.59 0.34 2.79 0.31	9.91 0.16 10.67 0.14	2.43 4.17 0.19 4.50 0.18	4.94 13.66 0.11 14.92 0.09
NC	DGN1 CG	1.60 0.74 1.92 0.69	4.67 0.44 4.99 0.40	3.65 0.30 3.90 0.28	8.77 0.18 9.37 0.16	0.18	4.17 12.28 0.12 13.11 0.10	sc	GREENVILLE TWNI CG FR DGNI CG ER	1.81 0.73 1.89 0.69	4.94 0.43 5.15 0.39	3.64 0.30 3.64 0.28	9.28 0.17 9.69 0.15	3.28 5.94 0.16 6.20 0.16	4.39 12.98 0.11 13.54 0.10

Table III (continued)

				OWNERSHI	PPERIO	סס				_		DHNER SH	IP PERIO		
		GAS	7 YR ELEC	GA S	YR ELEC	GA S	O YR ELEC			GAS	YR ELEC	GAS	5 YR ELFC	GA S	EL EC
sc	GREER TWNI CG ER DGNI CG ER	2.02 0.70 2.11 0.66	4.35 0.46 4.54 0.42	4.11 0.28 4.29 0.27	8.18 0.19 8.54 0.17	3.66 6.63 0.17 6.92 0.16	3.87 11.44 0.12 11.94 0.11	TX	AROWNSVILL TWN1 CG ER DGHI CG ER	E 0.89 0.95 1.01 0.88	3.48 0.52 3.95 0.46	1.81 0.38 2.05 0.35	6-53 0-21 7-41 0-18	2.68 2.92 0.21 3.31 0.20	3.14 3.13 0.13 10.37 0.12
TN	CHATTANDOG TWNE CG ER DGNE CG ER	0.91 0.94 0.94 0.90	3.22 0.55 3.30 0.51	1.86 0.37 1.90 0.36	6.04 0.22 6.20 0.21	1.81 2.99 0.21 3.07	3.13 8.45 0.14 6.67 0.13	TX	CORPUS CHR TWN1 CG DGN1 CG ER	1571 1.16 0.87 1.30 0.80	3.59 0.52 4.05 0.45	2.35 0.35 2.64 0.32	6.75 0.21 7.60 0.18	3.09 3.78 0.20 4.26 0.18	4.72 9.44 0.13 10.63 0.11
TN	KNOXVILLE TWNT CG ER DGNI CG ER	1.15 0.07 1.16 0.03	3.28 -0.54 3.36 0.51	2.33 0.35 2.39 0.33	6.16 0.22 6.31 0.20	2.23 3.76 0.20 3.85 0.19	3.13 8.61 0.14 8.83 0.13	*fx	DALLAS THNT CG ER DGN1 CG ER	1.25 0.65 1.17 0.63	3.97 0.49 3.72 0.48	2.54 0.34 2.37 0.33	7.46 0.20 6.98 0.19	2.51 4.09 0.20 3.03 0.19	3.92 10.44 0.13 9.76 0.12
TN	MEMPHIS TWNJ CG ER DGNY CG ER	0.77 1.00 0.81 0.95	3.10 0.56 3.25 0.51	1.57 0.39 1.64 0.37	5.82 0.23 6.11 0.21	1.50 2.53 0.22 2.65 0.21	2.96 8.14 0.14 8.54 0.13	ŧx	DEL RID TWNI CG ER DGNI CG ER	1.32 0.63 1.48 0.76	4.42 0.46 4.94 0.40	2.68 0.33 2.99 0.31	8.30 0.19 9.27 0.16	2.87 4.32 0.19 4.83 0.18	4.72 11.61 0.12 12.97 0.10
• TN	NASHVILLE TWN1 CG ER DGN1 CG ER	0.84 0.97 0.87 0.93	2.78 0.59 2.86 0.55	1.71 0.38 1.76 0.36	5.22 0.24 5.38 0.22	1.72 2.76 0.22 2.84 0.20	2.79 7.30 0.15 7.52 0.14	TX	EL PASO TWNT CG ER OGNI CG ER	1.94 0.71 2.16 0.65	6.12 0.37 6.81 0.32	3.94 0.29 4.36 0.26	11.51 0.15 12.79 0.12	2.92 6.35 0.17 7.06 0.16	4.53 16.09 0.10 17.89 0.05
TX	ABILENE TWN [†] CG FR DGNI CG ER	1.46 0.80 1.59 0.74	5.07 0.42 5.52 0.37	2.96 0.32 3.23 0.30	9.53 0.17 10.38 0.14	2.73 4.78 0.19 5.21 0.17	4.32 13.32 0.11 14.52 0.09	• тх	FORT WORTH TWN1 CG ER DGN1 CG ER	1.29 0.44 1.38 0.76	3.77 0.50 4.04 0.45	2.62 0.34 2.81 0.31	7.09 0.20 7.60 0.16	2.58 4.22 0.19 4.52 0.16	3.71 9.91 0.13 10.62 0.11
TX	AMARILLO TWNE CG ER DGNE CG ER	0.84 0.97 0.90 0.92	7.86 0.30 8.38 0.26	1.71 0.38 1.82 0.36	14.80 0.12 15.75 0.09	1.13 2.77 0.22 2.94 0.20	5.18 20.70 0.09 22.03 0.06	ТХ	HOUSTON TWNE CG ER DGNE CG ER	1.26 0.84 1.38 0.78	3.46 0.52 3.82 0.47	2.55 0.34 2.80 0.31	6.55 0.21 7.17 0.19	3.18 4.12 0.19 4.51 0.18	4.33 9.15 0.13 10.02 0.12
TX	AUSTIN TWNI CG ER DGNI CG ER	1.70 0.75 1.90 0.69	3.47 0.53 3.88 0.47	3.45 0.30 3.85 0.28	6.53 0.21 7.28 0.19	3.71 5.56 0.18 6.21 0.16	3.73 9.13 0.13 10.19 0.12	TX	KINGSVILLE TWNI CG ER OGNI CG ER	1.13 0.88 1.26 0.81	3.42 0.53 3.79 0.47	2.30 0.35 2.55 0.32	6.43 0.22 7.13 0.19	3.18 3.71 0.20 4.11 0.19	4.72 8.98 0.13 9.96 0.12

Table III (continued)

	-	OWNERSH	IP PER IOD	. wa			_		DIMER SHI	PPERIO		
	GAS '	PRELEC GAS	5 YR 3	YR ELEC			GAS	ELEC	GAS	YR ELFC	GAS 30	YR ELEC
TX	LAREDO THNÍ CG 1.21 ER 0.86 DGNI CG 1.37 ER 0.79	3.65 2.45 0.51 0.34 4.13 2.77 0.45 0.31	3.18 6.86 3.96 0.21 0.20 7.75 4.47 0.18 0.18	4.72 9.59 0.13 10.84 0.11	ŦX	WACO TRNI CG ER DGNI CG ER	1.2i 0.85 1.31 0.80	3.48 0.52 3.77 0.47	2.46 0.34 2.67 0.32	6.54 0.21 7.09 0.19	2.53 3.97 0.20 4.30 0.10	3.57 9.15 0.13 9.91 0.12
ГX	LUBBOCK TWN1 CG 1.76 ER 0.74 DGN1 CG 1.90 ER 0.69	6.21 3.58 9.37 0.30 6.68 3.85 0.32 0.28	11.67 5.77 0.14 0.18 12.54 6.20 0.12 0.16	4.26 16.32 0.10 17.54 0.08	ŦX	DGN1 CG ER	1:43 0:60 1:54 0:75	4.26 0.47 4.59 0.42	2.90 0.32 3.12 0.30	0.19 0.19 0.63 0.17		3.71 11.14 0.12 12.06
TX	LUFKIN TWNI CG 1.48 O.79 DGNI CG 1.63 ER 0.73	3.39 3.01 0.53 0.32 3.72 3.30 0.48 0.29	3.18 6.36 4.85 0.22 0.19 6.98 5.33 0.19 0.17	3.57 8.90 0.14 9.76 0.12	• VA	NORFOLK THAL CG ER DGNI CG ER	1.78 0.74 1.87 0.69	6.26 0.37 6.55 0.33	3.62 0.30 3.79 0.26	11.76 0.14 12.31 0.12		5.40 16.43 0.10 17.22 0.08
tx	MIDLAND TWN1 CG 1.58 DGNI CG 1.72 DGNI CG 1.72	4.84 3.20 0.43 0.31 5.29 3.50 0.38 0.29	9.10 5.17 0.18 0.18 9.93 5.64 0.15 0.17	3.71 12.72 0.11 13.89 0.10	VA	RICHMOND TWNI CG ER DGNI CG ER	1.92 0.72 2.03 0.67	6.06 0.37 6.40 0.33	3.90 0.29 7.11 0.27	11.40 0.15 12.02 0.13		5.40 15.94 0.10 14.81 0.08
TX	PORT ARTHUR TWNI CG 1.4D ER 0.6L DGNI CG 1.56 ER 0.75	3.41 2.84 0.53 0.33 3.79 3.16 0.47 0.30	3.30 6.40 4.58 0.22 0.19 7.12 5.09 0.19 0.17	3.95 8.95 0.13 9.95 0.12	VA	ROANOKE TWNT CG ER DGNT CG ER	1.78 0.74 1.63 0.70	5.35 0.41 5.50 0.37	3.62 0.30 3.71 0.28	10.06 0.16 10.34 0.14		4.36 14.07 0.11 14.45 0.09
TX	SAN ANGELO TWNI CG 1.43 DGNI CG 1.59 ER 0.74	4.82 2.90 0.44 0.32 5.35 3.23 0.38 0.30	9.05 4.68 0.18 0.19 10.06 5.20 0.15 0.17	4.32 12.66 0.11 14.06 0.10	* WY	CHARLESTON TWN1 CG ER DGNI CG ER	1.36 0.82 1.36 0.79	4.11 0.48 4.11 0.45	2.75 0.33 2.75 0.32	7.73 0.19 7.73 0.18		10.81 0.12 10.81
TX	SAN ANTONIO TUNI CG 1.19 DGNI CG 1.32 ER 0.80	4.06 2.43 0.48 0.34 4.49 2.68 0.43 0.32	7.63 3.91 0.20 0.20 8.45 4.33 0.17 0.18	4.43 10.67 0.12 11.81 0.11	MA	HUNTINGTON TWNI CG ER DGNI CG ER	1.62 0.77 1.62 0.73	4.44 0.46 4.44 0.43	3.30 0.31 3.30 0.29	8.34 0.19 8.34 0.17		4.03 11.66 0.12 11.66
TX	SHERMAN TWN I CG U.89 ER 0.95 DGN I CG 0.95 ER 0.90	3.80 1.81 0.50 0.36 4.04 1.92 0.45 0.36	7.14 2.91 0.20 0.21 7.59 3.10 0.18 0.20	3.57 9.99 0.13 i0.62 0.11	• IL	CHICAGO TWNI CG ER DGNI CG FR	i.34 0.82 1.28 0.81	5.05 0.42 4.84 0.41	2.71 0.33 2.60 0.32	9.48 0.17 9.10 0.16	2.23 4.37 0.19 4.20 0.18	4.14 13.26 0.11 12.73 0.10

Table III (continued)

		OWNERSHIP PERIOD			OWNER SHIP PER IOD
	GAS 7 YR	15 YR 30 '	YR ELEC	GAS PLEC	GAS ELEC GAS ELEC
IL	OLINE TWNI CG 2.11 5.65 PR 0.69 0.39 DGNI CG 2.03 5.43 ER 0.67 0.36	4.29 10.61 6.92 10.28 0.16 0.17 (4.12 10.20 6.65 10.20 6.20 6.20 6.20 6.20 6.20 6.20 6.20	4.44 IA 6.10 4.2 6.10	MASON C177 THNI CG 1.59 7.64 DGNI CG 1.53 7.32 ER 0.75 0.30	3.24 14.37 5.22 20.09 0.31 0.12 0.18 0.99 3.10 13.75 5.00 19.23 0.30 0.11 0.17 0.07
IL.	SPRINGFIELD TWEIT CG 1.60 4.19 DSNI CG 1.55 4.04 ER 0.75 0.45	3.25 7.87 5.25 L 0.31 0.19 0.18 (3.14 7.60 5.07 L	3.39 IA 1.00 0.12 0.63 0.11	STOUX CITY TWNT CG 1.37 7.05 ER 0.82 0.33 DGNI CG 1.31 6.78 ER 0.80 0.32	2.77 13.24 4.47 18.52 0.33 0.13 0.19 0.52 2.66 12.73 4.30 17.80 0.32 0.12 0.18 0.08
IN	EVANSVILLE TWNI CG 1.20 4.17 DGNI CG 1.20 4.17 DGNI CG 1.20 4.17 ER 0.83 0.45	2.43 7.04 3.92 10 0.34 0.19 0.20 0 2.43 7.84 3.92 10	3.78 KS 0.96 0.12 0.16 0.11	ODDGE CITY TWNI CG 1.08 7.38 ER 0.89 0.32 DGNI CG 1.11 7.58 ER 0.85 0.29	2.20 13.86 3.54 19.38 0.36 0.17 0.20 0.09 2.26 14.24 3.64 19.91 0.34 0.10 0.19 0.07
tn	FORT MAYNE TWN1 CG 1.45 5.09 ER 0.80 0.42 DGN1 CG 1.32 4.66 ER 0.80 0.42	2.94 9.57 4.74 13 0.32 0.17 0.19 0 2.69 8.76 4.34 13	4.48 KS 3.39 0.11 2.24 0.11	GOODLAND TWN! CG 1.17 9.53 ER J.87 0.25 DGNI CG 1.20 9.82 ER 0.83 0.22	2.37 17.90 3.82 25.08 0.35 0.09 0.20 0.08 2.44 18.45 3.94 25.80 0.33 0.07 0.19 0.05
• IN	INDIANAPOLIS TWN1 CG 1.23 5.91 DGN1 CG 1.18 5.67 ER 0.83 0.36	0.34 0.15 0.20 (2.39 10.66 3.86 14	5.33 KS 5.54 0.10 5.91 0.09	TOPEKA TWNI CG 1.03 5.60 ER 0.91 0.40 DGNI CG 1.03 5.60 ER 0.87 0.37	2.08 10.52 3.36 14.71 0.36 0.16 0.21 0.10 2.08 10.52 3.36 14.71 0.35 0.14 0.20 0.09
EN	SUUTH BEND TWNI CG 1.44 5.07 DGNI CG 1.31 4.62 ER 0.80 0.42	2.93 9.54 4.72 13 0.32 0.17 0.19 0 2.67 8.69 4.30 12	•.48 •KS 3.33 2.15 2.15	WICHITA TWNI CG 1.20 4.71 ER C.86 0.44 DGNI CG 1.23 4.83 ER 0.82 0.41	3.43 8.85 3.91 12.38 6.34 0.18 0.20 0.11 2.49 9.09 4.02 12.70 0.33 0.16 0.19 0.10
IA.	BURL INGTON TWNI CG 1.66 4.78 DGNI CG 1.66 4.78 DGNI CG 1.66 4.78 ER 0.73 0.41	3.35 8.98 5.42 12 0.31 0.18 0.18 0 3.36 8.98 5.42 12	3.76 M1 2.56 0.11 2.56 0.10	ALPENA TWNI CG 1.69 5.64 ER 0.75 0.39 OGNI CG 1.52 5.08 ER 0.75 0.39	3.43 10.60 2.53 4.15 0.31 0.16 0.18 0.10 3.09 9.55 4.99 13.36 0.30 0.15 0.18 0.10
*IA	DES MOINES TWNI CG 1.86 6.25 ER 0.73 0.37 DGNI CG 1.86 6.25 ER 0.70 0.34	3.77 11.75 6.07 16 0.29 0.14 0.17 0 3.77 11.75 6.07 16	• 69 • 43 • 10 • 43 • 0 09	DETROIT TWN1 CG 1.42 4.86 ER 0.81 0.43 DGN1 CG 1.30 4.44 ER 0.80 0.43	2.88 9.13 4.65 12.77 0.32 0.17 0.19 0.11 2.63 8.35 4.25 11.68 0.32 0.17 0.18 0.11

Table III (continued)

		OWNERSHIP PERIO)D			ONNERSHIP PERIC)D
	GAS EI	LEC GAS ELEC	GAS ELEC		GAS PLEC	OWNERSHIP PERIO LS YR GAS ELEC	GAS ELEC
MI	FR 0.80 0	.08 2.94 9.55 .42 0.32 0.17 .60 2.66 8.65 .42 0.32 0.17	2.50 4.31 4.75 13.36 0.19 0.11 4.30 12.10 0.18 0.11	MN ROCHESTER THAT CG ER DGAL CG ER	1.48 5.23 0.79 0.41 1.34 4.75 0.70 0.41	3.00 9.03 0.32 0.17 2.72 0.92 0.32 0.16	2.18 3.80 4.83 13.75 0.19 0.11 4.38 12.47 0.18 0.10
MI	GRAND RAPIDS THNI CG 1.42 4. DGNI CG 1.28 4. ER 0.81 0.	91 2.88 9.23 43 0.32 0.17 45 2.60 8.36 43 0.32 0.17	2.53 4.31 4.64 12.90 0.11 4.20 11.68 0.18 0.11	MO COLUMBIA THNÍ CG ER DGNÍ CG EK	1.22 5.73 0.85 0.39 1.22 5.73 0.82 0.36	2.47 10.78 0.34 0.15 2.47 10.78 0.33 0.14	2.05 4.74 3.99 15.07 0.20 0.10 3.99 15.07 0.19 0.09
ME	HOUGHTON TWNT CG 1.00 5- DGNI CG 0.32 1- ER 0.92 0.	99 2.02 11.26 38 0.30 0.15 95 1.67 9.31 38 0.36 0.15	1.76 5.20 3.26 15.75 0.21 0.10 2.70 13.02 0.21 0.10	*MO KANSAS CIT TWNI CG DGNI CG ER	0.64 0.38	2.36 10.02 0.35 0.16 2.36 10.02 0.33 0.15	3.80 14.02 0.20 0.11 3.80 14.02 0.19 0.10
MI	SAULT STE MARIE TWNI CG 1.73 4. ER 0.75 0. DGNI CG 1.47 3. ER 0.75 0.	3.52 7.52 49 0.30 0.20 38 2.98 6.36 49 0.30 0.20	2.53 2.87 5.68 10.51 0.18 0.13 4.80 8.89 C.18 0.13	MO SPRINGFIEL Tuni cg er dgni cg er	0.06 0.39 0.06 0.39 1.15 5.00 0.84 0.36	2.26 10.57 0.35 0.16 2.33 10.89 0.33 0.14	1.54 4.57 3.65 14.78 0.20 0.10 3.76 15.23 0.19 0.09
MI	TRAYERSE C177 TWNI CG 1.53 5. DGNI CG 1.30 4. ER 0.78 0.	3.10 10.34 40 0.32 0.16 69 2.64 8.82 40 0.32 0.16	2.53 4.48 5.00 14.46 0.18 0.10 4.26 12.33 0.18 0.10	MO ST LOUIS TWNI CG ER DGNI CG ER	1.92 5.05 0.72 0.42 1.92 5.05 0.69 0.39	3.89 9.48 0.29 0.17 3.89 9.48 0.28 0.15	3.24 4.19 28 13.26 0.17 0.11 6.28 13.26 0.16 0.10
HN	DULUTH TWNI CG 2.12 7. DGNI CG 1.90 7. ER 0.69 0.	93 4.30 14.90 30 0.28 0.11 11 3.85 13.36 30 0.28 0.11	2.91 5.36 6.93 20.84 0.17 0.09 6.21 18.68 0.16 0.08	NB GRAND ISLA TWNI CG DGNI CG ER	ND 1.54 8.18 0.78 0.29 1.54 8.18 0.75 0.27	3.13 15.37 0.32 0.11 3.13 15.37 0.30 0.09	2.12 5.53 5.05 21.49 0.18 0.09 5.05 21.49 0.17 0.07
MN	INTERNATIONAL FALLS TWNI CG 1.76 DGNI CG 1.47 ER 0.74 O	55 3.57 8.55 45 0.30 9.18 81 2.99 7.15 45 0.30 0.18	2.36 3.00 5.76 11.96 0.16 0.1 4.82 10.00 0.18 0.12	+(. MURTH OMAH TWN L CG DGN : CG ER	1.63 5.43 0.77 0.40 1.57 5.24 0.75 0.38	3.30 10.21 0.31 0.16 3.18 9.84 0.30 0.15	2.3. 3.84 5.33 14.28 0.18 0.11 5.14 13.76 0.17 0.10
* 184	MINNFAPOLIS TWNI CG 1.82 6. DGNI CG 1.65 5. ER 0.73 0.	25 3.70 11.74 37 0.30 0.14 66 3.35 10.63 36 0.29 0.14	2.71 4.57 5.96 16.42 0.18 0.10 5.40 14.87 0.17 0.09	NB NORTH PLAT TWN1 CG ER DGN1 CG ER	1.73 5.77 0.75 0.39 1.73 5.77 0.72 0.36	3.51 10.85 0.30 0.15 3.51 10.85 0.29 0.14	2.12 3.46 5.66 15.17 0.18 0.10 5.66 15.17 0.17 0.09

Table III (continued

	OWNERSHIP PERIOD			OWNERSHIP PERIOD
GAS FLEC	GAS FLFC GAS	O YR ELEC	GAS ELEC	GAS ELEC GAS ELEC
COTTSBLUFF ANI CG 1.56 6.28 ER 0.78 G.36 SNI CG 1.56 6.28 ER 0.75 0.34	3.18 11.80 5.12 0.31 0.14 0.18 3.18 11.80 5.12 0.30 0.13 0.17	3.77 OH 16.50 0.10 16.50 0.08	DAYTON TWN1 CG	0.32 0.15 0.19 0.10
ISMARCK IN1 CG 1.60 7.50 ER 0.77 0.32 GN1 CG 1.45 6.83 FR 0.77 0.31	3.24 14.09 5.23 0.31 0.12 0.18 2.95 12.83 4.76 0.31 0.12 0.18	4.73 OH 19.70 0.09 17.94 0.08	TOLEDO TWN1 CG 1.36 6.96 ER 0.82 0.34 DGN1 CG 1.25 6.36 ER 0.81 0.33	
NRGN ANI CG 1.89 5.95 ER 0.72 0.38 SNI CG 1.69 5.33 ER 0.72 0.38	3.83 11.18 6.18 0.29 0.15 0.17 3.43 10.02 5.54 0.29 0.15 0.17	4.23 15.63 0.10 14.01 0.10	MOUNGSTOWN 1.23 5.47 ER 0.85 0.40 DGNI CG 1.12 4.95 ER 0.85 0.40	2.50 10.28 4.04 14.37 0.34 0.16 0.20 0.11 2.27 9.30 3.65 13.01 0.34 0.16 0.19 0.10
INOT INI CG 2.02 6.22 ER 0.70 0.37 INI CG 1.82 5.60 ER 0.70 0.37	3.69 10.52 5.94 0.28 0.14 0.17	4.14 SD 16.34 0.10 14.72 0.09	HIRON TINI CG 1.90 7.25 ER C.72 0.33 D(NT CG 1.73 6.60 ER 0.72 0.32	3.85 13.62 6.21 19.04 0.29 0.13 0.17 0.09 3.50 12.40 5.65 17.33 0.29 0.12 0.17 0.08
RON (NI CG 1.25 5.55) ER 0.85 0.44 (NI CG 1.19 5.29) ER 0.83 0.38	2.54 10.42 4.09 0.34 0.16 0.20 2.42 9.95 3.91 0.33 0.15 0.19	14.57 0.10 13.91 0.10	P1 SRRE TM-11 CG 2.05 3.75 ER 0.70 0.50 DGH1 CG 1.97 3.61 ER 7.68 0.49	4.46 7.05 6.70 9.86 4.20 6.78 5.44 9.48 6.21 0.17 0.13 4.00 6.78 5.44 9.48 6.21 0.12 0.12
INC INNATI INT CG 1.38 4.28 ER D.82 G.48 ER D.78 4.08 ER 0.78 0.45	2.80 7.68 4.52 0.33 0.20 0.19 2.80 7.68 4.52 0.31 0.18 0.18	3. 90 10. 73 0. 12 10. 73 0. 11	RAPID CITY THN1 CG 1.64 7.21 ER 2.76 0.33 DGN1 CG 1.64 7.21 FR 0.73 0.30	3.54 13.54 2.38 18.93 0.31 0.13 0.18 0.09 3.34 13.54 5.36 18.93 0.29 0.11 0.17 0.08
EV FLAND INI CG 1.24 5.70 ER 0.85 0.39 INI CG 1.12 5.18 ER 0.85 0.39	2.51 10.71 4.05 0.34 0.16 0.20 2.28 9.74 3.68 0.34 0.15 6.19	5. 28 SD 14.98 0.10 13.62 0.10	STOUX FALL: THN1 CG 1.45 5.83 ER 0.80 0.38 DGH1 CG 1.39 5.56 FR 3.78 0.37	2.95 10.96 4.76 15.32 0.12 0.15 0.19 0.10 2.62 10.48 4.55 14.65 0.31 0.14 0.18 0.09
HUMBUS INI CG 1.26 5.39 INI CG 1.21 5.17 ER 0.82 0.39	2.56 l0.13 4.13 0.34 0.16 0.19 2.46 9.72 0.19 0.33 0.15 0.19	4. 95 14. 16 0. 11 .13. 59 0. 10	EAU CLAIRE TWNT CG	4.85 10.44 7.82 14.50 0.21 0.16 0.16 0.16 4.31 9.41 7.05 23.16 0.26 0.16 0.16 9.10

Table III (continued)

	OWNERSHIP PERIOD								OWNERSHIP PERIOD							
		GAS	7 YR ELEC	1:	FLEC	GAS 30	YR EL EC				GAS 7	YR ELEC	GAS	YR ELEC	GA S	ÉÎEC
WI	GREEN BAY TWN I CG ER NGNI CG ER	1.93 0.71 1.84 0.70	5.41 0.40 5.15 0.39	3.92 0.29 3.74 0.28	10.16 0.16 9.69 0.15	2.90 6.33 0.17 6.03 0.16	3.99 14.21 0.11 13.54 0.10	A	Z	YUMA TWNI CG DGNI CG ER	1 - 41 0 - 81 1 - 61 0 - 74	6.31 0.36 7.15 0.30	2.87 0.33 3.26 0.30	11.65 0.14 13.45 0.11	2.51 4.63 0.19 5.26 0.17	5.50 16.57 0.10 18.80 0.08
WI	LA CROSSE TWMT CG ER DGNI CG ER	1.37 0.02 1.24 0.81	5.40 0.40 4.91 0.40	2.78 0.33 2.53 0.32	10.14 0.16 9.23 0.16	2.14 4.46 0.19 4.07 0.19	4.15 14.18 0.11 12.90 0.10	C.	A	ARCATA TWNI CG ER DGNI CG ER	3.11 0.58 3.29 0.53	6.82 0.34 7.22 0.30	6.31 0.24 6.68 0.21	12.81 0.13 13.57 0.11	3.42 10.17 0.15 10.77 0.13	3.69 17.92 0.09 18.97 0.08
•wt	MADISON TWNI CG FR DGNI CG FR	1.53 0.78 1.40 0.78	5.11 0.42 4.67 0.42	3.11 0.32 2.84 0.31	9.60 0.17 8.78 0.16	2.20 5.01 0.18 4.59 0.18	3.61 13.43 0.11 12.28 0.10	ε	A	BAKERSFIELD TWNI CG ER DGNI CG ER	1.94 0.71 2.11 0.66	4.26 0.47 4.64 0.42	3.94 0.29 4.29 0.27	8.00 0.19 8.72 0.16	3.42 6.35 0.17 6.92 0.16	3.69 11.19 0.12 12.19 0.11
WI	MILWAUKEE TWNI CG ER DGNI CG ER	2.09 0.69 1.91 0.69	4.92 0.43 4.50 0.43	4.24 0.28 3.88 0.28	9.24 9.17 8.45 0.17	3.12 6.84 0.17 6.26 0.16	3.61 12.92 0.11 11.82 0.11	c	Ä	CHINA LAKE TWNI CG ER DGNI CG ER	1 • 76 0 • 74 1 • 92 0 • 69	5.83 0.38 6.36 0.33	3.57 0.30 3.89 0.28	10.95 0.15 11.94 0.13	2.40 5.76 0.18 6.28 0.16	3.91 15.31 0.10 16.70 0.08
• AZ	PHOENIX (UNI CG ER DGNI CG ER	1.49 0.79 1.67 0.73	7.26 0.33 6.14 0.27	3.03 0.32 3.40 0.25	13.65 0.13 15.29 0.09	2.51 4.89 0.19 5.48 0.17	6.00 19.09 0.09 21.38 0.07	c	A	DAGGETT TWNI CG ER DGNI CG ER	l.56 0.78 1.74 0.71	7.26 0.33 8.10 0.27	3.17 0.31 3.53 0.29	13.64 0.13 15.22 0.10	2.40 5.11 0.18 5.70 0.17	19.08 0.09 21.28 0.07
AZ	PRESCOTT TWNI CG ER DGNI CG FR	2.2L 0.68 2.39 0.62	9.50 0.26 10.27 0.21	4.48 0.27 4.85 0.25	17.85 0.09 19.30 0.06	2.60 7.23 0.16 7.81 0.15	5.50 24.96 0.08 26.99 0.05	c	A	EL TORO TWNI CG ER DGNI CG ER	1.72 0.75 1.94 0.68	5.69 0.39 6.42 0.33	3.49 0.30 3.94 0.27	10.70 0.16 12.07 0.12	2.40 5.62 0.18 6.35 0.16	3.91 14.96 0.10 16.88 0.08
AZ	TUCSUN TWNT CG ER DGNT CG ER	1.51 0.79 1.68 0.72	6.41 0.36 7.14 0.30	3.07 0.32 3.42 0.29	12.04 0.14 13.41 0.11	2.39 4.95 0.19 5.51 0.17	4.98 16.83 0.09 18.76 0.08	C	CA .	FRESHO TWHI CG ER DGNI CG- ER	1.61 0.77 1.73 0.72	4.41 0.46 4.71 0.41	3.28 0.31 3.50 0.29	8.28 0.19 8.85 0.16	2.75 5.28 0.18 5.65 0.17	3.69 11.58 0.12 12.38 0.10
AZ	WENSLOW TWN1 CG ER DGN1 CG ER	2.11 0.69 2.25 0.64	8.98 0.27 9.58 0.23	4.28 0.28 4.56 0.26	16.68 6.10 18.00 0.07	2.60 6.90 0.17 7.35 0.15	5.45 23.60 0.08 25.17 0.05	C	A	LONG BEACH TWNI CG ER DGNI CG ER	1.34 0.82 1.51 0.76	5.45 0.40 6.14 0.34	2.73 0.33 3.07 0.30	10.24 0.16 11.54 0.13	1.96 4.40 0.19 4.95 0.18	3.91 14.32 0.11 16.13 0.09

Table III (continued

	_		OWNERSHEP PERIO					YR 1	OWNERSHIP PERIOD 30 YR			
	GAS	YR ELEC	GAS ELEC	GA S 30	ELEC		GAS	ÉLEC	GAS ELEC	G/ S ³⁰ FÎ EC		
•CA	LOS ANGELES TWNI CG 1.90 ER 0.72 DGNI CG 2.14 ER 0.65	8.83 0.27 9.97 0.22	3.65 16.59 0.29 0.10 4.35 18.73 0.26 0.07	6.21 2 0.17 7.01 2	5.49 23.20 0.08 26.18 0.05	CA	SAN FRANCISCO TWNI CG 3.02 ER 0.59 DGNI CG 3.34 ER 0.53	6.63 0.35 7.34 0.30	6.13 12.46 0.24 0.14 6.79 13.79 0.21 0.11	3.42 3.69 9.89 17.42 0.15 0.09 10.95 19.29 0.13 0.07		
CA	MOUNT SHASTA TWNI CG 2.27 TR 0.67 DGNI CG 2.33 ER 0.63	6.21 0.37 6.37 0.33	4.61 11.66 0.27 0.15 4.74 11.97 0.25 0.13	7.44 1 0.16 7.64 1	3.69 16.30 0.10 16.73 0.08	CA	SANTA MARIA TWNI CG 2.27 DGNI CG 2.52 DGNI CG 2.52 FR 0.61	7.11 0.33 7.69 0.28	4.61 13.35 0.27 0.13 5.12 14.83 0.24 0.10	2.40 3.69 7.44 18.67 0.16 0.09 8.26 20.74 0.15 0.07		
CA	NEFDLES THNI CG 1.62 THNI CG 1.62 ER 0.77 DGNI CG 1.63 ER 0.70	4.11 0.48 4.65 0.42	3.28 7.72 0.31 0.19 3.71 8.73 0.28 0.16	5.29 1 0.18 5.98 1	3.50 10.79 0.12 12.21 0.11	CA	SUNNYVALE THNI CG 1.99 DGNI CG 2.22 ER 0.64	5.42 0.40 6.05 0.35	4.03 10.18 0.29 0.16 5.50 11.37 0.26 0.13	2.75 3.69 6.50 14.24 0.17 0.11 7.26 15.90 9.15 0.09		
CA	OAKLAND THNÍ CG 2.38 ER D.65 DGNÍ CG 2.67 ER 0.59	6.51 0.36 7.29 0.30	4.84 12.23 0.27 0.14 5.43 13.71 0.24 0.11	7.01 1 0.16 0.75 1	3.69 17.10 0.09 9.17 0.07	CO	COLORADO SPRINGS THN' CG 1.81 DGNI CG 1.91 ER 0.69	6.69 0.35 7.06 0.31	3.67 12.58 0.30 0.14 3.87 12.6 0.28 0.11	1.94 3.53 5.92 17.58 0.18 0.09 6.24 18.54 0.16 0.08		
CA	POINT MUGU TWNI CG 2.14 ER 0.68 DGNI CG 2.42 ER 0.62	9.96 0.24 11.24 0.18	4.35 18.72 0.28 0.09 4.90 21.12 0.25 0.05	7.01 2 0.17 7.91 2	5.49 26.18 0.07 29.53 0.05	. +co	DENVER TWN1 CG 1.83 DGN1 CG 1.93 ER 0.68	7.26 0.33 7.64 0.28	3.72 13.65 0.30 0.13 3.91 14.35 0.26 0.10	2.06 4.01 6.00 19.08 0.17 0.09 6.31 20.07 0.16 0.07		
CA	RED BLUFF TWNE CG 2.58 ER 0.77 DGNE CG 1.70 ER 0.72	4.31 0.47 4.63 0.42	3.21 8.10 0.31 0.19 3.44 8.69 0.29 0.17	5.17 1 0.18 5.55 1	3.69 1.33 0.12 2.16 0.11	' CO	EAGLE TWNI CG 2.01 DGNI CG 2.01 ER 0.67	8.04 0.30 8.04 0.27	4.08 15.11 0.29 0.11 4.08 15.11 0.27 0.10	2.04 4.01 6.59 21.13 0.17 0.09 6.59 21.13 0.16 0.07		
CA	SACRAMENTO THRE CG 1.70 ER 0.75 DGNI CG 1.85 ER 0.70	3.21 0.55 3.49 0.49	3.45 6.03 0.30 0.22 3.76 6.56 0.28 0.20	5.57 0.18 6.06	2.55 8.43 0.14 9.17 0.12	CO	GRAND JUNCTION TWNI CG 1.65 ER 0.75 DGNI CG 1.69 ER 0.72	6.59 0.35 6.76 0.32	3.35 12.39 0.31 0.14 3.43 12.70 0.29 0.12	2.04 4.01 5.40 17.33 0.18 0.09 5.53 17.76 0.17 0.08		
CA	SAN DIEGO TWN: CG 2.49 DGNI CG 2.83 ER 0.57	7.50 0.32 8.54 0.26	5.05 14.09 0.26 0.12 5.75 16.05 0.23 0.09	8.14 l 0.16 9.27 2	5.10 9.70 0.09 2.44 0.06	co	PUEBLO TWNI CC 1.54 DGNI CG 1.62 ER 0.74	5.85 0.38 6.14 0.34	3.13 11.00 0.32 0.15 3.29 11.55 0.30 0.13	1.84 3.43 5.05 15.38 0.18 0.10 5.30 16.14 0.17 0.09		

Table III (continued)

	OWNERSHIP PER EOD										OWNERSHIP PER IOD			
	GAS	YR	GAS	FLEC	GA S	EL EC			GAS	7 YR FLEC	GAS	5 YR ELEC	GA S	O YR ELEC
ISE II CG FR II CG ER	1 · 78 0 · 74 1 · 78 0 · 71	4.00 0.49 4.00 0.46	3.61 0.30 3.61 0.28	7.51 0.20 7.51 0.18	2.30 5.03 0.18 5.03 0.17	2.54 10.50 0.13 10.50 0.11	MŢ	HELENA TWNI CG ER OGNI CG ER	1.84 0.73 1.77 0.71	4.75 0.44 4.57 0.42	3.73 0.30 3.59 0.29	8.93 0.15 8.58 0.17	2.30 6.02 0.17 5.79 0.17	2.92 12.48 0.11 12.00 0.11
HESTON HECG ER HECG ER	1.42 0.61 1.38 0.78	2.37 0.63 2.29 0.61	2.89 0.32 2.79 0.31	4.45 0.26 4.30 0.25	2.30 4.66 0.19 4.50 0.18	1.88 6.22 0.16 6.01 0.15	, MT	LEWISTOWN TWNI CG ER DGNI CG ER	1.93 0.71 1.85 0.70	4.99 0.43 4.79 0.41	3.92 0.29 3.76 0.28	9.37 0.17 9.00 0.16	2.30 6.32 0.17 6.07 0.16	2.92 13.10 0.11 12.58 0.10
CATELLO VI CG ER VI CG ER	1.90 0.72 1.90 0.69	4.27 0.47 4.27 0.44	3.86 0.29 3.86 0.28	8.02 0.19 6.02 0.17	2.30 6.22 0.17 6.22 0.16	2.54 11.22 0.12 11.22 0.11	н	MILES CITY TWNE CG ER DGNE CG ER	1.29 0.84 1.19 0.83	7.22 0.33 6.65 0.32	2.61 0.34 2.41 0.33	13.56 0.13 12.50 0.12	1.67 4.22 0.19 3.89 0.19	4.60 18.96 0.09 17.48 0.06
LLINGS II CG ER II CG ER	1.33 0.83 1.28 0.81	4.72 0.44 4.55 0.42	2.69 0.33 2.60 0.32	6.87 0.18 8.55 0.17	0.19 4.19 0.18	2.92 12.49 0.11 11.96 0.11	MT	MISSOULA TWNI CG ER DGNI CG ER	1.57 0.78 1.43 0.77	4.06 0.48 3.69 0.48	3.19 0.31 2.90 0.31	7.63 0.20 6.94 0.19	2.30 5.14 0.18 4.65 0.18	2.92 10.66 0.12 9.70 0.12
I BANK II CG ER II CG ER	1.87 0.72 1.60 0.70	3.86 0.50 3.71 0.48	3.80 0.29 3.63 0.20	7.26 0.20 6.38 0.19	2.12 6.13 0.17 5.89 0.17	2.15 10.15 0.13 9.75 0.12	W	ELKO TWNI CG ER DGNI CG ER	2.31 0.66 2.38 0.62	5.15 0.42 5.31 0.38	4.69 0.27 4.83 0.25	9.69 0.17 9.97 0.15	2.40 7.57 0.16 7.79 0.15	2.63 13.54 0.11 13.94 0.10
LLON II CG ER II CG ER	2.10 0.67 2.10 0.66	5.43 0.40 5.43 0.36	4.27 0.28 4.27 0.27	10.70 0.16 10.20 0.15	2.30 6.88 0.17 6.88 0.16	2.92 14.26 0.11 14.26 2.09	NV	ELY TWNE CG ER DGNE CG ER	1.93 0.71 2.00 0.67	8.56 0.28 8.83 0.25	3.93 0.29 4.05 0.27	16.09 0.10 16.59 0.08	1.67 6.33 0.17 6.53 0.16	4.07 22.50 0.08 23.20 0.06
ASGOW VI CG ER VI CG ER	1.41 0.81 1.12 0.81	5.00 0.43 3.98 0.43	2.85 0.33 2.27 0.33	9.40 0.17 7.47 0.17	1.67 4.60 0.19 3.66 0.19	2.92 13.14 0.11 10.44 0.11	• NV	LAS VEGAS TWNI CG ER DGNI CC ER	1.30 0.83 1.41 0.78	7.42 0.32 8.06 0.27	2.64 0.33 2.67 0.31	13.94 0.12 15.15 0.10	1.87 4.26 0.19 4.63 0.18	5.24 19.49 0.09 21.19 0.07
EAT FALL II CG ER II CG ER	1.74 0.74 1.68 0.72	4.79 0.44 4.62 0.42	3.54 0.30 3.41 0.29	9.00 0.16 8.66 0.17	2.16 5.70 0.18 5.50 0.17	2.92 12.59 0.11 12.13 0.11	NY	LOVELOCK TWNI CG ER OGNI CG ER	2.29 0.66 2.40 0.62	9.93 0.24 10.40 0.20	4.65 0.27 4.87 0.25	18.66 0.09 19.54 0.06	2.40 7.50 0.16 7.86 0.15	5.11 26.09 0.07 27.32 0.05

Table III (continued)

	7 YR Gas elec	OWNERSHIP PERIOD GAS ELEC GAS ELEC	OWNERSHIP PERIOD 7 YR 15 YR, 30 YR GAS ELEC GAS ELEC
NV	RENO TWNI CG 3.11 10.47 ER 0.58 0.23 DGNI CG 3.26 10.96 ER 0.54 0.19	6.32 19.68 3.09 5.11 0.24 0.09 0.14 0.07 4.62 20.60 10.67 28.81 0.22 0.06 0.13 0.05	NM TRUTH UX CONSEQUENCES 7MN1 CG -1.64 5.69 3.34 10.70 5.38 14.96 ER 0.76 0.39 0.31 0.16 0.18 0.10 DGN1 CG 1.79 6.19 3.62 11.62 5.84 16.25 ER 0.71 0.34 0.28 0.13 0.17 0.09
NY	TONOPAH TWN1 CG 3.05 10.25 ER 0.58 0.24 DGN1 CG 3.19 10.72 ER 0.54 0.20	6.18 19.25 9.97 26.92 0.24 0.09 0.15 0.07 6.47 20.15 10.44 28.18 0.22 0.06 0.13 0.05	NM FUCUMCARI THNI CG 1.69 6.12 3.43 11.49 5.53 16.07 ER 0.75 0.37 0.31 0.15 0.18 0.10 DGNI CG 1.82 6.60 3.70 12.40 5.96 17.34 ER 0.70 0.32 0.28 0.12 0.17 0.08
NV	WINNEMUCCA TWNI CG 2-27 9-01 ER 0.66 0-27 DGNI CG 2-35 9-25 ER 0.63 0-23	4.65 16.93 7.50 23.67 0.27 0.10 0.16 0.08 4.77 17.38 7.70 24.30 0.25 0.08 0.15 0.06	NM ZUNI TWNI CG 1.98 10.59 4.02 19.91 6.48 27.84 ER 0.71 0.23 0.29 0.09 0.17 0.07 DGNI CG 2.08 11.14 4.22 20.93 6.81 29.26 ER 0.66 0.19 0.27 0.05 0.16 0.05
NY	TUCCA FLATS TWNI CG 1.47 5.19 ER 0.80 0.42 DGNI CG 1.62 5.70 ER 0.74 0.36	2.95 9.75 4.82 13.63 0.32 0.17 0.19 0.11 3.29 10.72 5.30 14.99 0.30 0.14 0.17 0.09	OR ASTORIA THNI CG 7.48 4.55 7.07 8.55 11.41 11.95 ER 0.55 0.45 0.22 0.18 0.14 0.12 DGNI CG 3.58 4.68 7.27 8.79 11.73 12.29 ER 0.51 0.42 0.20 0.16 0.13 0.10
* N24	ALBUQUERQUE TWNI CG 1.72 9.19 ER 0.75 0.26 DGNI CG 1.63 9.77 ER 0.70 0.22	3.49 17.28 5.63 24.16 0.30 0.10 0.18 0.08 3.71 18.36 5.98 25.68 0.28 0.07 0.17 0.05	DR BURNS THNI CG 3.94 5.10 8.00 9.58 12.90 13.39 ER 0.51 0.42 0.21 0.17 0.13 0.11 DGNI CG 3.94 5.10 8.00 9.58 12.90 13.39 ER 0.48 0.39 0.19 0.15 0.12 0.10
141	CLAYTON TWN I CG 1.86 9.80 ER 0.72 0.25 DGN I CG 2.00 10.50 ER 0.67 0.20	3.78 18.41 6.10 25.75 0.29 0.09 0.17 0.07 4.05 19.72 6.54 27.58 0.27 0.06 0.16 0.05	DR MEDFORD TWNT CG 2.30 4.00 4.67 7.52 7.54 10.51 ER 0.66 0.49 0.27 0.20 0.16 0.13 DGNI CG 2.37 4.12 4.81 7.74 7.76 10.83 ER 0.62 0.45 0.25 0.18 0.15 0.11
NPI .	FARM ING TON TWN I CG 1.90 9.08 ER 0.72 0.27 DGN I CG 1.99 9.53 ER 0.67 0.23	3.85 17.07 6.22 23.87 0.29 0.10 0.17 0.08 4.05 17.92 6.53 25.05 0.27 0.07 0.16 0.05	OR NORTH BEND TWNI CG 4.22 5.51 8.56 10.35 13.81 14.47 ER 0.49 0.40 0.20 0.16 0.13 0.10 DGNI CG 4.49 5.86 9.10 11.00 14.68 15.39 ER 0.45 0.35 0.18 0.14 0.11 0.09
NH	ROSWFLL TWN1 CG 1.61 7.90 ER 0.77 0.30 DGN1 CG 1.73 8.51 ER 0.72 0.26	3.26 14.85 5.25 20.76 0.31 0.11 0.18 0.09 3.51 15.99 5.66 22.37 0.29 0.09 0.17 0.06	

Table III (continued)

			2 45	OWNERS	IP PERI												
	•	GAS	7 YR ELEC	GA S	5 YR ELEC		O YR ELEC				7 YR	1	IP PER!	3	O YR		
										GAS	ELEC	GAS	ELEC	GAS	ELEC		
+OR	PORTLAND TWNI CG ER DGNI CG ER	2.89 0.60 2.89 0.57	3.74 0.50 3.74 0.48	5.86 0.24 5.86 0.23	7.03 0.21 7.03 0.19	4.83 9.45 0.15 9.45 0.14	3.08 9.83 0.13 9.83 0.12	, WA	SPOKANE TWNI CG ER DGNI LG ER	2.17 0.68 2.08 0.66	2.53 0.61 2.43 0.60	4.39 0.28 4.22 0.27	4.75 0.25 4.56 0.24	3.24 7.08 0.17 6.81 0.16	1.86 6.64 0.5 6.18 0.4		
OR	REDMOND TWN1 CG ER DGN1 CG ER	3.47 0.55 3.47 0.52	5.54 0.40 5.54 0.37	7.03 0.22 7.03 0.21	10.42 0.16 10.42 0.14	3.94 11.34 0.14 11.34 0.13	3.10 14.57 0.10 14.57 0.09	MA ·	WHIDBEY	. 2.97 0.59 2.97 0.56	2.09 0.67 2.09 0.64	6.03 0.24 6.03 0.23	3.93 0.27 3.93 0.26	4.01 9.72 0.15 9.72 0.14	1.29 5.50 0.16 5.50 0.15		
DR	SALEM TWNI CG ER DGN1 CG FR	3.01 0.59 3.11 0.55	3.91 0.49 4.03 0.46	6.12 0.24 6.30 0.22	7.35 0.20 7.57 0.18	4.83 9.87 0.15 10.16 0.13	3.08 10.27 0.13 10.58 0.11		YAKIMA THNI CG ER DGNI CG ER	2.17 0.68 2.09 0.66	3.38 0.53 3.26 0.51	4.41 0.28 4.25 0.27	6.35 0.22 6.12 0.21	3.19 7.11 0.17 6.86 0.16	2.44 8.87 0.14 8.56 0.13		
U	BRYCE CANY THNI CG ER DGNI CG ER	2.03 0.70 2.09 0.66	12.61 0.16 13.01 0.15	4.12 0.28 4.25 0.27	23.70 0.08 24.44 0.04	1.78 6.64 0.17 6.85 0.16	5.44 33.14 0.05 34.17 0.03	; wy	CASPER TWN! CG ER DGNI CG ER	2.42 0.65 2.50 0.61	5.54 0.40 5.71 0.36	4.91 0.26 5.06 0.25	10.40 0.16 10.73 0.14	2.57 7.92 0.16 8.17 0.15	2.89 14.55 0.10 15.00 0.09		
UT	CEDAR CITY TWNI CG ER DGNI CG ER	1.62 0.77 1.70 0.72	10.05 0.24 10.58 0.20	3.28 0.31 3.45 0.29	18.90 0.09 17.88 0.06	i.78 5.29 0.18 5.57 0.17	5.44 26.42 0.07 27.80 0.05	*HA	CHEYENNE TWN L CG ER DGN L CG ER	0.57 1.10 0.58 1.06	4.87 0.43 5.01 0.40	1.15 0.43 1.19 0.41	9.15 0.17 9.42 0.16	0.59 1.86 0.24 1.91 0.23	2.49 12.79 0.11 13.18 0.10		
*#	SALT LAKE TWNI CG ER DGNI CG ER	1.45 0.60 1.49 0.76	8.04 0.30 8.28 0.26	2.95 0.32 3.03 0.30	15.11 0.11 15.55 0.09	1.78 4.75 0.19 4.89 0.18	4.85 21.13 0.09 21.75 0.06	WY	ROCK SPRIN TWNI CG ER DGNI CG ER		5.79 0.39 5.79 0.36	3.72 0.30 3.72 0.28	10.88 0.15 10.88	1.86 5.99 0.17 5.99	2.89 15.21 0.10 15.21		
WA	OLYMPIA TUMI CG ER DGMI CG ER	2.59 0.63 2.51 0.61	3.01 0.56 2.92 0.54	5.26 0.26 5.10 0.25	5.66 0.23 5.48 0.22	4.01 8.49 0.16 8.22 0.15	2.29 7.92 6.14 7.66 0.13	wy .	SHERIDAN TWN1 CG FR DGNI CG ER	1.37 0.82 1.37 7.79	4.08 0.48 4.08	2.77 0.33 2.77 0.31	7.67 0.20 7.67	1.68 4.47 0.19 4.47	2.47 10.72 0.12 10.72 0.11		
+WA	SEATTLE-TAI THRE CG ER DGN1 CG ER	CDMA 2.51 0.64 2.51 0.61	1.41 0.78 1.41 0.75	5.10 0.26 5.10 0.25	2.66 0.32 2.66 0.30	4.01 8.23 0.16 8.23 0.15	1.11 3.72 0.18 3.72 0.17		EN	3.14	0,45	0.31	0.18	n•10	0.11		